JOURNAL OF ORGANOMETALLIC CHEMISTRY

Vol. 370, Nos. 1–3 July 11th, 1989

CONTENTS

Special Volume on Organometallic Compounds and Optical Activity
(guest editor **H. Brunner**)

Introduction (H. Brunner) IX

Regular papers

Asymmetric deuteration and deuteriooligomerization of 1-pentene
by P. Pino and M. Galimberti (Zürich) (Rec'd January 3rd, 1989) 1

Hypervalent silicon hydrides: evidence of their intermediacy in the reaction of optically active 1-NpPhMeSiH(D) with hydrides
by J.L. Brefort, R. Corriu, C. Guérin and B. Henner (Montpellier) (Rec'd November 16th, 1988) 9

Asymmetrische Katalysen. XLVI. Enantioselektive Hydrosilylierung von Ketonen mit $[Rh(COD)Cl]_2$ und optisch aktiven Stickstoff-Liganden
von C. Botteghi, A. Schionato (Venice), G. Chelucci (Sassari), H. Brunner, A. Kürzinger und U. Obermann (Regensburg) (Eing. den 8. November 1988) 17

Diastereoselective synthesis of a resolved secondary arsine complex: asymmetric synthesis of (R)-$(-)_{589}$-ethylmethylphenylarsine
by G. Salem and S.B. Wild (Canberra, A.C.T.) (Rec'd December 7th, 1988) 33

Asymmetric oxidation of some 1,3-dithianes in presence of chiral titanium complexes
by O. Samuel, B. Ronan and H.B. Kagan (Orsay) (Rec'd December 12th, 1988) 43

Diastereoisomer separation and absolute configuration of (*ortho*- and (*meta*-$MeC_6H_4CO_2Me)Cr(CO)_2L$ (L = (+)-neomenthyl-PPh_2)
by G. Jaouen (Paris), J.A.S. Howell, M.-C. Tirvengadum (Keele), P. McArdle and D. Cunningham (Galway) (Rec'd November 3rd, 1988) 51

Framework chirality and optical activity of organometallic compounds
by H. Vahrenkamp (Freiburg) (Rec'd November 7th, 1988) 65

Synthesis and properties of optically active organomolybdenum compounds
by K.J. Moriarty and M.D. Rausch (Amherst, MA) (Rec'd March 14th, 1988; rev'd January 23rd, 1989) 75

Enantioselective epoxidation of unfunctionalized simple olefins by non-racemic molybdenum(VI) (oxo-diperoxo) complexes
by V. Schurig, C. Mark, K. Hintzer, U. Leyrer (Tübingen), P. Pitchen and H.B. Kagan (Orsay) (Rec'd December 13th, 1988) 81

Transition metal mediated asymmetric synthesis. X. Homochiral π-complexes with planar chirality: synthetic equivalents of chiral cyclohexadiene dications
by P.W. Howard, G.R. Stephenson (Norwich) and S.C. Taylor (Billingham) (Rec'd November 3rd, 1988) 97

Enantioselective benzylidene transfer reactions using the chiral-at-iron benzylidene complexes $(S_{Fe}S_C)$- and $(R_{Fe}S_C)$-$Cp(CO)(Ph_2R^*P)Fe{=}CHC_6H_5^+$ (R^* = (*S*)-2-methylbutyl) and (S_{Fe})- and (R_{Fe})-$Cp(CO)(PEt_3)Fe{=}CHC_6H_5^+$
by M. Brookhart and R.C. Buck (Chapel Hill, NC) (Rec'd February 14th, 1989) 111

Asymmetric synthesis catalyzed by chiral ferrocenylphosphin-transition metal complexes. VII. New chiral ferrocenylphosphines with C_2 symmetry
by T. Hayashi, A. Yamamoto, M. Hojo, K. Kishi, Y. Ito (Kyoto), E. Nishioka, H. Miura and K. Yanagi (Osaka) (Rec'd October 21st, 1988) 129

Rhodium(I) complexes of β-diketonates and related ligands as hydrosilylation catalysts
by W.R. Cullen and E.B. Wickenheiser (Vancouver, B.C.) (Rec'd November 14th, 1988) 141

Resolution of the chiral η^6-methyl-*o*-toluate complex $[RuCl_2(\eta^6\text{-}o\text{-}MeC_6H_4CO_2Me)]_2$. Crystal structure and absolute configuration of the (+)-neomenthyldiphenylphosphine (NMDPP) complex $RuCl_2(\eta^6\text{-}o\text{-}MeC_6H_4CO_2Me)$[(+)-NMDPP]
by P. Salvadori, P. Pertici, F. Marchetti, R. Lazzaroni, G. Vitulli (Pisa) and M.A. Bennett (Canberra) (Rec'd November 3rd, 1988) 155

Preparation, crystal structure, absolute configuration, and conformational analysis of $(-)_{436}$-(*S*)-(−)-diphenyl-1-phenylethylaminophosphine(η^5-pentamethylcyclopentadienyl)(dimethylphosphonato)cobalt(III) by C. Jablonski, T. Burrow (St. John's, Nfld) and P.G. Jones (Braunschweig) (Rec'd November 3rd, 1988) 173

Enantioselective hydrogen transfer reactions from propan-2-ol to ketones catalyzed by pentacoordinate iridium(I) complexes with chiral Schiff bases
by G. Zassinovich, R. Bettella, G. Mestroni, N. Bresciani-Pahor, S. Geremia and L. Randaccio (Trieste) (Rec'd October 31st, 1988) 187

Preparation of optically active peralkyldiphosphines and their use, as the rhodium-(I) complex, in the asymmetric catalytic hydrogenation of ketones
by K. Tani, K. Suwa, E. Tanigawa, T. Ise, T. Yamagata, Y. Tatsuno, T. Saito and S. Otsuka (Osaka) (Rec'd December 13th, 1988) 203

Enantioselektive Katalyse. VII. Komplexe von (P,(*R*,*S*),3*R*,4*R*,P′(*R*,*S*))-3,4-Bis(phenylphosphino)pyrrolidinen. Die Darstellung optisch reiner 1,2-Bisphosphanliganden mit vier Stereozentren, die zusätzliche funktionelle Gruppen enthalten
von U. Nagel, B. Rieger und A. Bublewitz (München) (Eing. den 31. Oktober 1988) 223

Carbohydrate phosphinites as chiral ligands for asymmetric synthesis catalyzed by complexes. V. New rhodium(I)-chelates prepared by precipitation from the equilibrium between neutral and cationic complexes and hydrolysis of their bonded ligands
by R. Selke (Rostock) (Rec'd October 20th, 1988) 241

Carbohydrate phosphinites as chiral ligands for asymmetric synthesis catalyzed by complexes. VI. Rhodium(I)-[2,3-*O*-bis(diphenylphosphino)-β-D-glucopyranoside] chelates with free hydroxyl groups in 4,6-position of the carbohydrate as excellent catalysts in asymmetric hydrogenation
by R. Selke (Rostock) (Rec'd October 20th, 1988) 249

Asymmetric hydroformylation with Pt-phosphine-$SnCl_2$ and Pt-bisphosphine-$CuCl_2$ (or CuCl) catalytic systems
by L. Kollár, J. Bakos, I. Tóth and B. Heil (Veszprèm) (Rec'd October 28th, 1988) 257

Catalytic and structural studies of Rh^I complexes of (−)-(2*S*,4*S*)-2,4-bis(diphenylphosphino)pentane. Asymmetric hydrogenation of acetophenonebenzylimine and acetophenone
by J. Bakos, I. Tóth, G. Szalontai, B. Heil (Veszprém), L. Párkányi and V. Fülöp (Budapest) (Rec'd October 24th, 1988) 263

Chiral sulphonated phosphines. II. Influence of water on the enantioselectivity in the reduction of dehydro-aminoacids
by L. Lecomte, D. Sinou (Villeurbanne), J. Bakas, I. Tóth and B. Heil (Veszprèm) (Rec'd October 28th, 1988) 277

Optically active phenanthrolines in asymmetric catalysis. II. Enantioselective transfer hydrogenation of acetophenone by rhodium/alkyl phenanthroline catalysts
by S. Gladiali, G. Chelucci, F. Soccolini, G. Delogu (Sassari) and G. Chessa (Porto Torres) (Rec'd November 7th, 1988) 285

Chiroptical properties and enantioselectivity in hydrogenation with rhodium(I) complexes of chiral bis-diphenylphosphines derived from D-glucose and D-galactose
by V. Šunjić, I. Habuš (Zagreb) and G. Snatzke (Bochum) (Rec'd October 12th, 1988) 295

Indenyl complexes of ruthenium(II) containing optically active diphosphines. X-ray structures of (*S*,*S*)-(η^5-C_9H_7)Ru{$Ph_2PCH(CH_3)CH(CH_3)PPh_2$}Cl and of its η^5-C_5H_5 analogue
by F. Morandini (Padova), C. Consiglio (Zürich), A. Sironi and M. Moret (Milano) (Rec'd October 21st, 1988) 305

Optimization in asymmetric hydrogenation of 3-phenyl-3-butenoic acid catalyzed by rhodium(I)-4,5-bis[(diphenylphosphino)methyl]-2,2-dimethyldioxolane (DIOP)
by K. Yamamoto, K. Ikeda and L.K. Yin (Tokyo) (Rec'd October 28th, 1988) 319

Utilisation des ligands aminophosphinephosphinites en hydroformylation catalysée par le rhodium: amélioration de l'énantiosélectivité par synthèse sélective des hydrures $RhH(CO)_2L_2^*$
par Y. Pottier, A. Mortreux et F. Petit (Villeneuve d'Ascq) (Reçu le 15 décembre 1988) 333

Metal controlled enantioselectivity in the catalytic asymmetric hydrosilylation
by A. Kinting, H.-J. Kreuzfeld (Rostock) and H.-P. Abicht (Halle/Saale) (Rec'd November 25th, 1988) 343

Homogeneous asymmetric catalysis by means of chiral metal complexes of 2,3-bis(dimenthylphosphino)maleic anhydride and of 2,3-bis(dimenthylphosphino)maleimide derivatives
by A. Kinting and C. Döbler (Rostock) (Rec'd November 16th, 1988) 351

Transition metal catalyzed asymmetric cross coupling reactions. New ligands and the effects of added salts. Crystal structures of $[Ph_2PCH_2CH\{(CH_2)_3SMe\}NMe_2]\cdot PdCl_2$ and $[Ph_2PCH_2CH\{(CH_2)_2SMe\}NMe_2]\cdot PdCl_2$
by G. Cross, B.K. Vriesema, G. Boven, R.M. Kellogg and F. van Bolhuis (Groningen) (Rec'd November 3rd, 1988) 357

Palladium-catalyzed asymmetric synthesis of axially chiral molecules
by J.C. Fiaud and J.Y. Legros (Orsay) (Rec'd November 3rd, 1988) 383

Reactive intermediates in asymmetric cross-coupling catalysed by palladium P–N chelates
by K.V. Baker, J.M. Brown, N.A. Cooley, G.D. Hughes and R.J. Taylor (Oxford) (Rec'd December 2nd, 1988) 397

Dynamic behaviour and X-ray analysis of chiral η^3-allylpalladium complexes. II
by E. Cesarotti, M. Grassi, L. Prati and F. Demartin (Milano) (Rec'd November 21st, 1988) .. 407

Preliminary communications

The stereochemistry at silicon of an iron to cyclopentadienyl ligand silyl group migration in $(\eta^5\text{-}C_5H_5)Fe(CO)_2SiR_3$
by S.R. Berryhill (Long Beach, CA) and R.J.P. Corriu (Montpellier) (Rec'd November 14th, 1988) C1

Asymmetric synthesis of *R*-α-methyl-*o*-methoxybenzyl methyl ether via the diastereoselective functionalisation of (+)-(*o*-methoxybenzyl methyl ether)chromium tricarbonyl
by S.G. Davies and C.L. Goodfellow (Oxford) (Rec'd November 11th, 1988) C5

Asymmetric reactions catalyzed by chiral metal complexes. XXXII. Efficient asymmetric hydrogenation of itaconic acid derivatives catalyzed by rhodium complexes of improved (2*S*,4*S*)-*N*-(t-butoxycarbonyl)-4-(diphenylphosphino)-2-[(diphenylphosphino)methyl]pyrrolidine (BPPM) analogues
by K. Inoguchi, T. Morimoto and K. Achiwa (Shizuoka) (Rec'd October 24th, 1988) C9

Asymmetric cyclization of 2-alkenylphenols. A comparative study on the use of palladium(II) and titanium(IV) complexes
by T. Hosokawa, T. Kono, T. Shinohara and S.-I. Murahashi (Osaka) (Rec'd October 17th, 1988) C13

Highly stereoselective reduction of methyl ketone complexes of the chiral Lewis acid $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)]^+$ by $K(s\text{-}C_4H_9)_3BH$; synthesis of optically active secondary alcohols and derivatives
by D.M. Dalton and J.A. Gladysz (Salt Lake City, UT) (Rec'd December 13th, 1988) C17

Author index C22

Subject index C24